





MT LED SERIES

2017




DESIGN PHILOSOPHY

- Natural Science + Modern industrial design = *Instant Classic*





DESIGN INSPIRATION



DESIGN INSPIRATION

MT LED brings to mind a classic that was on the vanguard of technology at that time. Now the MT LED; an *Instant Classic*



TECHNICAL INFO.

Wattage	Voltage	Lumen output	LPW	Replacement	CCT	Dimming	Optics	CRI
100W	120-277v	12000	120	400 HID	4000/ 5000	1-10V	Type III/	75
150W	347/480v	18000	120	400 HID	4000/ 5000	1-10V	IV/VW/	75
200W		21046	107	600 HID	4000/ 5000	1-10V	VN/VM	75

Driver and LED chip life to exceed 10 limited years of continuous use at 104F ambient temperature.

10 Year Limited Warranty.

FEATURES


- **DLC Premium**
- **Special reflector design**
- **Tempered glass lens**
- **Programmable Multi-level motion sensor**
- **Standard receptacle for PC / 7pin receptacle**
- **Quick and easy installation**
- **10kv surge protection included (Standard)**
- **10 Year Limited Warranty**




THERMAL MANAGEMENT



Special housing design to increase heat dissipation area for maximum



Heat dissipation designed with aerodynamic Airflow



Streamlined heat sink fins LED module separate from the driver



- **Special reflector design**

high performance optics

- **Tempered glass lens**

doesn't fade and discolor



Arm Mount




Slip fitter Mount



Trunnion/Yoke Mount






INSTALLATION



Exclusive Slider Design
for quick and easy installation

**Swing-down,
Hinged Arm Door**
convenient for wiring


OPTICS



ACCESSORIES



(MT-HRS)
House Rear Shield



(MT-HSS)
House Side Shield



Round Pole Adapter

COMPLIANCE & STANDARD

DLC Premium



ETL Wet Location Listed



IP 66 Rated



Meet's T24 Requirements



APPLICATIONS

- Area Light
- Roadway Light
- Flood Light
- Wall Pack Light





Thank You