

# CA | commercial architecture

**New Urbanism**

Restaurant Window Trends

Historical Mill Renovation

SERVING ARCHITECTS, CONTRACTORS, AND OWNERS IN COMMERCIAL CONSTRUCTION

JULY 2017 Vol. 15 No. 6



EDITORS' CHOICE

## Sculptured art-glass pendant

Trillium pendant:

- **Floral motif**
- **Uses American art glass**
- **More than 40 colors**



The Trillium pendant is designed with a floral motif, inspired by a New England spring wildflower. Trilateral petals are made by cutting and kiln-forming three pieces of American art glass and fastened in an overlapping pattern with stainless-steel screws. Available in more than 40 colors, the luminaire measures 9-in. high and 8-in. at its widest point, and uses 60-W of incandescent, halogen, CFL, or LED lamps.

**Derek Marshall Lighting, Sandwich, NH**

**Circle 83**

**derekmarschall.com**



### LED path lights

LPL2 Scepter path lights have a thermally integrated field-serviceable LED module that uses Copper Core technology. The module transfers heat away from the LED driver/circuit and dissipates it throughout the luminaire. Available color temperatures include 2700 K, 3000 K, and 4500 K. Dimming to less than 10% is possible. The luminaires have solid-copper and brass construction with field replaceable UV and shock-resistant acrylic lenses.

**Auroralight, Carlsbad, CA**

**Circle 84**

**auroralight.com**

### LED floodlight

The LED V-Line floodlight has a sleek, modern design. A die-cast aluminum housing with powdercoat finish meets demanding market requirements. Available in a range of wattages from 26 to 100, color temperatures range from 4,000 to 5,000. Options include a high-low motion sensor and photo control.

**Above All Lighting, Toms River, NJ**

**Circle 85**

**abovealllighting.com**



### LED linear strips

Infinia 2400 K warm white and 5000 K cool white LED linear strip lighting is hard-wired and controlled by a remote switch to provide warm and cool white lighting for outdoor, damp, and indoor applications. No LED drivers or additional power source is needed. The luminaires operate directly from a 120-V line. The strips have a maximum run length of 150 ft. in increments of 4 in. Three-step MacAdam LEDs provided consistent light-color generation and output.

**Jesco Lighting Group, Port Washington, NY**

**Circle 86**

**jescolighting.com**

