



 **ABOVE ALL**
www.AboveAllLighting.com

LED Moon Series Post Top



EPA is **0.7** Sq.Ft.

Tempered **Glass** Lens

Full Lighting Distributions

Special **Reflector** Design





LED V-Line Wall Pack

Top 5 LED Chip & LED Driver

Tempered **Glass** Lens

EBU Available For Low Wattage

3000-14,000 Lumen Package



LED Traditional Wall Pack

Tempered **Glass** Lens
Top 5 LED Chip & LED Driver
EBU Available For Low Wattage



LED Leopard Series Mini Wall Pack

Top 5 LED Chip
Modern Yet Classic Design
Versatile Design



LED Leopard Series Mini Flood Light



Top 5 LED Chip

Modern Yet Classic Design

Versatile Design

Knuckle, Trunnion Mountings



LED V-Line Flood Light



3000-14,000 Lumen Package
Top 5 LED Chip & LED Driver
Knuckle, Trunnion, Slip Fitter Mountings




MT LED Area Light



Tempered **Glass** Lens
Up to **29,000** lm

Full Lighting Distributions
Special **Reflector** Design




SMT LED Area Light

40W to 80W

Low EPA **0.53** Sq.Ft.



Tempered **Glass** Lens
Full Lighting Distributions



LED Parking Garage Light

Top 5 LED Chip & LED Driver
PC Lens Provides An Even Light Distribution



LED PAD Garage and Canopy



Tempered **Glass** Lens

Slim Low Profile Design

Top 5 LED Chip & LED Driver


Patented Air Cooling Design Weep Holes

Surface Or Pendant Mountings Optional



LED LS Garage Light

Impact Resistant Prismatic Lens
Superior **Low-glare** Illumination



Top 5 LED Chip & LED Driver
Patented Air Cooling Design
Surface Or Pendant Mountings
EBU Backup Available



LED TR Security Light



Top 5 LED Chip

Impact Resistant PC Lens

Integrated Photocell For Dusk To Dawn Operation

Slim Modern Design



LED Linear High Bay



Top 5 LED Chip & LED Driver

EBU Backup Available

Reflector Providing 82 Degree Beam Angle



LED HEAVENLY Linear High Bay

THERMAX

°C 65 °F 150



9,000-60,000 Lumen Package

Top 5 LED Chip & LED Driver

General, Narrow And Medium Distributions Optional

EBU Backup Available

V-Hook, Pendant, Channel Mountings

Maximum **150°F** High Ambient



LED UFO High Bay

Tempered **Glass** Lens
347/480V available



Replaces up to **750W** HID
In Beaming Angle of 60°/90°/120°



LED Moon Series Low Bay

35W To 100W

Sleek Design

347/480V Available

Tempered **Glass** Lens



LED STD STRIP 4FT & 8FT

4 Feet And 8 Feet

Cold-Rolled Steel Body

EBU Backup Available

Wire Guard Is For Option



LED STD WRAP 2FT & 4FT

Top 5 LED Chip & LED Driver

Clear **PMMA** Diffuser Lens

EBU Backup Available



LED Flat Panel

TOP 5 LED Chip

Standard 1-10V Dimming

EBU Backup Available

PMMA Light Transmitter



Human Centric LED Light

Smart Lighting Technology

Human Centric

Remote and **APP Controller**




Different **Programmable Preset Scenes**

2017



PROGRESS
Report

SELECTION



LED Troffer Retrofit Kit



Designed to Retrofit Fluorescent Troffer

Quick and **Easy Installation**

EBU Backup Available



LED T8 Quick Kit

Full Options To Retrofit Fluorescent Fixtures

2 Feet And 4 Feet

From 1-Tube To 4-Tube Systems

Up To 130 LPW



**NOT A
FOLLOWER**





www.AboveAllLighting.com

Better Light, Better Life, Above All Others